1	To commence within 2 years
-	
	The development hereby permitted shall be begun before the expiration of 2 years from the date of this permission.
	Reason: To comply with the requirements of Section 91 of the Town and Country Planning Act 1990 (as amended).
-	
2	Operational period
2A (LPA)	Upon commencement the developer shall submit a Notice of Commencement to the Local Planning Authority, stating the date on which construction / installation works began. That Notice may be served in advance or retrospectively, but no later than one month from the date of commencement.
	Within one month of the First Commercial Export of electricity from the site, the developer shall submit to the LPA a Notice of First Export, stating the date on which the First Commercial Export of electricity commenced.
	The operation of the solar farm and battery storage that is hereby granted shall cease 35 years from the date of commencement. Thereafter the land shall revert to its former agricultural use.
2B (App)	Within one month of the First Commercial Export of electricity from the site, the developer shall submit to the LPA a Notice of First Export, stating the date on which the First Commercial Export of electricity commenced.
	The operation of the solar farm and battery storage that is hereby granted shall cease 35 years from the date of the First Commercial Export of electricity. Thereafter the land shall revert to its former agricultural use.
	Reason: The operational period of 35 years is what was proposed in the application (Planning Statement section 2.5 and Design and Access Statement section 5.3). Service of a Notice of either commencement or first commercial export is needed so that the end o the operational period is known and recorded
3	Decommissioning Method Statement (prior to first commercial export)
	A) Prior to the first commercial export of electricity from the site, a Decommissioning Method Statement (DMS) shall be submitted to the Local Planning Authority for approval. The DMS shall detail how the equipment is to be removed from the site (including access tracks and any underground structures, posts or cables), how the land is to be returned to its former condition, save for the areas identified as not being restored to agricultural use in drawing 8398-12C, and how this is to be conducted so as to avoid disturbing biodiversity within the site. Details of the management of the Public Rights of Way through the site during the decommissioning process shall also be included. The removal of the equipment shall thereafter be carried out in full accordance with the approved DMS.
	B) Two years before the approved DMS is due to be implemented, a review of the DMS shall be submitted to the Local Planning Authority for approval which considers any

I

l

	Drawing HF2.1 revision v.a – Proposed Site Plan – Eastern Parcel		
	Drawing HF3.0 revision 03 - PV Elevations		
	Drawing HF4.0 revision 02-03 - Inverter Transformer Stations		
	Drawing HF5.0 revision 02 - Internal Access Road Elevations		
	Drawing HF6.0 revision 02 - Fence and Gate Elevations		
	Drawing HF7.0 revision 02 - Weather Station Detail		
	Drawing HF8.0 revision 032 - Substation Elevations		
	Drawing HF9.0 revision 032 - Control Room Elevations		
I	Drawing HF10.0 revision 02 - Auxiliary Transformer		
	Drawing HF11.0 revision 02 - CCTV Elevations 104		
	Drawing HF12.0 revision 02-03 - Battery Container Elevations 40ft		
	Drawing HF13.0 revision 03 - Storage Container Elevations	_	Formatted: Font color: Auto
	Drawing HF14.0 revision v.a - Field Topographical Data East		
	Drawing HF15.0 revision v.a - Field Topographical Data West		
	Reason: For the avoidance of doubt and in the interests of proper planning.		
6	Battery Safety Management Plan (pre-commencement)		
	No battery stores shall be installed on the site until:		
	A) A Battery Safety Management Plan has been submitted to and approved in writin	ng	
	by the Local Planning Authority (who will consult Hertfordshire Fire and Rescue		
	Service and the Environment Agency). The Plan shall cover the construction,		
	operational and decommissioning phases. It shall include details of a Responsible	9	
	Person for the scheme, (as defined under article 3 of the Regulatory Reform (Fire		
	Safety) Order 2005, or under a subsequent legal amendment) and of how fire ris	k is	
	to be minimised. The Plan should include details of the hazards associated with		
	lithium-ion batteries, isolation of electrical sources to enable firefighting activitie		
	measures to extinguish or cool batteries involved in fire, management of toxic or	-	
	flammable gases, and details as to how the environmental impact of an incident		
	are to be minimised, including proposals for the containment of fire water run-or		
	It shall also set out proposals for the handling and disposal of damaged batteries		
	and it shall set out proposals for site associated training exercises and procedure	s.	
	The Plan should also include details of a fire hydrant within the site, in close		
	proximity to the battery stores compound, which should be able to provide a		
	minimum of 1,900 litres of water per minute for at least two hours.		
	B) A layout plan for the battery storage area to take into account the access and		Formatted: Font color: Auto
	turning of emergency vehicles including adequate sweep and turn circles/hammo head.	ei	
	Reason: To minimise the risks of fire, and to prevent environmental harm that might aris	e	
	from the use of fire-fighting retardants on the site, pursuant to Policy SADM20		
	(Environmental Pollution and Development) of the Hertsmere Local Plan (Site Allocations	5	
	and Development Management Policies Plan 2016).		
7	Archaeology (pre-commencement)		
	A.) No development shall commence until an Archaeological Written Scheme of		
	Investigation has been submitted to and approved in writing by the local planning	_	

	authority. The works shall thereafter be carried out in accordance with the approved
	details. The Archaeological Written Scheme of Investigation shall include the following:
	An assessment of the archaeological significance of the site
	Research questions The programme and math adalage of site investigation and recording
	The programme and methodology of site investigation and recording
	The programme for post investigation assessment
	Provision to be made for analysis of the site investigation and recording
	Provision to be made for publication and dissemination of the analysis and records
	of the site investigation
	Provision to be made for archive deposition of the analysis and records of the site
	investigation
	Nomination of a competent person or persons/organisation to undertake the
	works set out within the Archaeological Written Scheme of Investigation.
	D.) Drive to the first server end of electricity from the site, the site investigation and
	B.) Prior to the first commercial export of electricity from the site, the site investigation and
	post investigation assessment shall be completed in accordance with the programme that is set out in the approved Archaeological Written Scheme of Investigation, and the
	appropriate provision shall be made for analysis and publication in the public domain.
	appropriate provision shall be made for analysis and publication in the public domain.
	Reason: To ensure that artefacts or features of archaeological interest are recorded or
	protected as appropriate during the installation works, pursuant to Policy SADM29
	(Heritage Assets) of the Hertsmere Local Plan, Site Allocations and Development
	Management Policies Plan (2016).
8	External Lighting Plan
-	
	A.) No external lighting shall be installed unless it is in accordance with Condition 8B or with
	an External Lighting Plan (ELP) which shall have been submitted to and approved in writing
	by the Local Planning Authority. The ELP should include a base line survey to show the
	current lighting levels within residential areas neighbouring the development; it should also
	include a plan showing the location of proposed lighting in
	relation to sensitive wildlife habitats. The external lighting scheme shall be installed in
	accordance with the approved ELP, and retained as such thereafter.
	B.) No external lighting shall be installed or operated during the period of this planning
	permission, except for the manually operated lights to be attached to the substation and
	transformer / inverter cabinets for use in an
	emergency maintenance visit situation, as set out in section 4.2.7 of the Design and Access
	Statement. Details of such lighting to be provided in this regard shall be submitted to the
	Local Planning Authority and agreed in writing prior to installation on site
	Descent To oppose that any optioned lighting does not be used by a second structure of the
	Reason: To ensure that any external lighting does not harm the open character of the
	Green Belt, or the setting of neighbouring heritage assets, or the amenity of neighbouring
	premises, and that it does not disturb
	sensitive species of wildlife, pursuant to Policies SADM26 (Development Standards in the
0	Green Belt) and SADM30 (Design Principles) of the Hertsmere Local Plan (2016).
9	Educational Strategy (pre-export)
	Prior to the first commercial export of electricity from the site, an Educational Strategy
	shall be submitted to and approved in writing by the Local Planning Authority, setting out
	what measures are to be provided to
	machicusares are to be provided to

	inform and educate the general public and school pupils on the principles of renewable energy generation and nature conservation that pertain to this development. This Strategy shall include proposals for explaining the energy generated in real time, the content and location of any interpretation boards, and how to facilitate school visits. The approved Strategy shall be resubmitted to the LPA for approval in writing before the fifth anniversary of the previously approved Strategy to update the proposals. The latest approved strategy shall then be implemented and maintained thereafter until the end of the operational period.	
	Reason: To ensure that the very special circumstances which justify the granting of temporary planning permission on this Green Belt site, and the substantial public benefits that outweigh the less than substantial harm to neighbouring designated heritage assets, will (considered cumulatively with other benefits of the development) include the provision of educational benefits to residents of the borough and to school pupils.	
10	Grazing and Grass Management Plan	
	A.) Within two years of the first commercial export of electricity from the site, a Grazing Management Plan (GMP) shall be submitted to the Local Planning Authority. The GMP shall detail which parts of the site shall be used for the grazing of livestock, during which months of the year, what animals or poultry are to be grazed there, and it shall set out details of how the grazing and mowing regime is to be managed. Any changes to the GMP during the lifetime of the permission shall be submitted to the Local Planning Authority for approval, and shall not be carried out except in accordance with that approval.	
	B.) Within two years of the first commercial export of electricity from the site, the grazing of livestock shall commence on such parts of the site, at such times of year, and according to such principles as have been approved by the Grazing Management Plan.	
	Reason: To ensure that, during the temporary 35 year period in which the site is used for the generation of renewable energy, part of it will remain in use as agricultural (grazing) land, thereby deriving multiple benefits from this rural land, pursuant to paragraph 120(a) of the National Planning Policy Framework (2021), and to the benefit of the character of the area, pursuant to Policy SADM11 (Landscape Character) of the Site Allocations and Development Management Policies Plan 2016.	
11A (LPA)	Landscape and management scheme	Formatted: Font: Bold
()	No development shall be commenced until a detailed Landscape and Management Scheme	Formatted: Font: Not Bold
	("the LMS") has been submitted to and approved in writing by the Local Planning Authority. The scheme shall be based upon the principles within the submitted LEMP	Formatted: Font: Not Bold
	(April 2021) and the LEEP, and shall also be in general accordance with the details shown on Drawing 8398_12b and Landscape Strategy Plan Drawing 8398_013_Rev A.	
	 <u>The LMS shall include details of:</u> <u>Proposed species, location, planting density for all trees, shrubs, plants and grassland mixes</u> <u>Landscape management regime for proposed planted areas, habitats and open spaces for the duration of the operational development up to the point of its decommissioning (35 years), including details of the managed height of hedgerows.</u> 	

	The LMS shall be implemented as approved in the first planting season following the first
	export of electricity from the site.
	The Site shall be managed in full accordance with the LMS during the operational phase of
	the development hereby permitted.
	Any trees, shrubs or plants that die within a period of 20 years from the completion of the development, or are removed and/or become seriously damaged or diseased in that
	period, shall be replaced (and if necessary continue to be replaced) in the first available planting season with others of similar size and species, unless the Local Planning Authority
	gives prior written permission for any variation. No hedgerows or trees shall be removed or
	 shortened unless such works are specified in the approved plans. Replacement planting will not be required where good management of maturing vegetation requires appropriate thinning
11B	Landscape proposalsand management scheme
(Арр)	No development shall be commenced until a detailed Landscape and Management Scheme ("the LMS") has been submitted to and approved in writing by the Local Planning Authority. The scheme shall be based upon the principles within the submitted LEMP (April 2021) and the LEEP, and shall also be in general accordance with the details shown on Drawing 8398_12b for the operational phase, Drawing 8398_12c for the post development phase and Landscape Strategy Plan Drawing 8398_013_Rev A.
	 The LMS shall include details of: Proposed species, location, planting density for all trees, shrubs, plants and grassland mixes Landscape management regime for proposed planted areas and relevant habitats for the duration of the operational development up to the point of its decommissioning (35 years), including details of the managed height of hedgerows. The LMS shall also include details of the post decommissioning landscape management regime for a period of 25 years. Areas of new planting and habitat enhancement which will be retained post decommissioning, which shall be in general accordance with Drawing 8398_12c
	The LMS shall be implemented as approved in the first planting season following the first export of electricity from the site.
	The Site shall be managed in full accordance with the LMS during the operational phase of the development hereby permitted.
	Any trees, shrubs or plants that die within a period of 35 years from the completion of the development, or are removed and/or become seriously damaged or diseased in that period, shall be replaced (and if necessary continue to be replaced) in the first available planting season with others of similar size and species, unless the Local Planning Authority gives prior written permission for any variation. No hedgerows or trees shall be removed or shortened unless such works are specified in the approved plans. Replacement planting will not be required where good management of maturing vegetation requires appropriate thinning.

	Reason: To ensure satisfactory landscape treatment which will screen the development,
	mitigate its visual impact, and enhance the character and appearance of the site and the
	area. To comply with Policies SADM11 (Landscape Character) and SADM12 (Trees
	Landscaping & Development) of the Hertsmere Local Plan, Site Allocations and
	Development Management Policies Plan (2016) and Policies CS12 and CS22 of the
	Hertsmere Core Strategy (2013).
12	Ecological enhancement and invasive species
	A.) The development shall be carried out in full accordance with the proposals that are set
	out in the Landscape Enhancement Management Plan (document R009, December 2020),
	Landscape and Ecology Enhancement Plan (drawing number 7533_012) and NEW PLAN and
	sections 5-7 of the Ecological Appraisal (document R013). COG point on construction
	management plan, minimising impact on retained habitats on site, dust, soil compaction –
	see new condition 4[note also need to ref duration of management for operational and
	post decommissioning for habitat – suggest mirror revised text for condition 11]
	B.) No site clearance or other ground works within the application site shall commence
	until an Invasive Species Eradication Plan to control and remove the presence of Japanese
	Knotweed from the site has
	been submitted and approved in writing by the Local Planning Authority. This eradication
	plan shall include specific details of timescales and aftercare to ensure appropriate
	treatment for its long term control and removal from the site. The development shall
	thereafter be implemented in accordance with the approved Invasive Species Eradication
	Plan unless otherwise agreed in writing by the Local Planning Authority.
	Reason: To protect and enhance flora, fauna and to ensure a net gain in biodiversity on the
	site, pursuant to Policy SADM10 (Biodiversity and Habitats) of the Hertsmere Local Plan,
	Site Allocations and Development
	Management Policies Plan (2016). Also to remove invasive non-native weeds from the site
	which can cause environmental and structural harm.
13	Fences
	The fences to be erected on the site shall comply with approved Drawing HF6.0 revision 02
	- Fence and Gate Elevations. Other than those fences shown on the approved Site Layout
	drawing, no other fences of any height shall be erected without the prior written
	agreement of the Local Planning Authority (save for any fences or means of enclosure that
	may be approved under condition 24 with regard to the Glint and Glare scheme),
	notwithstanding the provisions of the Town and Country Planning (General Permitted
	Development) Order 1995 or any legislation amending or re-enacting the same.
	All fences (except those around the substation and battery store compound) shall include
	gates to allow passage for small mammals including foxes and badgers. Wooden posts for
	CCTV cameras shall not exceed a height of 2.4m, and the cameras shall face inwards only
	(as per section 4.2.6 of the Design and Access Statement).
	Reason: To protect the open character of the Green Belt, pursuant to Policy SADM26
	(Development Standards in the Green Belt) of the Hertsmere Local Plan, Site Allocations
	and Development Management Policies Plan (2016). Note that this condition does not
	apply to hedges, and that the requirement for fences to be capable of being seen through
	applies to the fence only, and not to any hedge that might be adjacent to it.

14	Colour of enclosures to the battery stores
	The enclosures for the battery stores and inverter stations shall be finished in one of the
	following colours, or in such other colour as has been agreed in writing by the Local
	Planning Authority: RAL 6002 leaf green, RAL 6005 moss green, RAL 6035 pearl green, RAL
	7010 tarpaulin grey, RAL 7012 basalt grey or RAL 8007 fawn brown.
	Reason: To ensure that the enclosures blend in with the landscape, and that they do not
	detract from the character or the visual amenity of the landscape, pursuant to Policy
	SADM11 (Landscape Character) of the
	Hertsmere Local Plan, Site Allocations and Development Management Policies Plan (2016).
15	Site security
	The site shall be secured in accordance with the proposals that are set out in section 4.2.6
	of the Design and Access Statement.
	Reason: This condition is applied at the request of Hertfordshire Constabulary to ensure
	that public safety is protected and that crime is prevented, pursuant to paragraph 92(b) of
16	the National Planning Policy Framework (2021). Noise
10	Noise
	The Rating level of plant and equipment associated with the development shall be at least
	10 dB below the background sound level at any affected residential properties where the
	Rating level and Background sound level are as defined and determined in accordance with
	BS 4142:2014+A1:2019.
	The sound level of the ambient noise shall not be more than 1 dB higher than the sound
	level of the ambient noise in the absence of the specific noise of plant and equipment
	associated with the development along any public right of way, where ambient noise and
	specific noise are as defined
	and determined in accordance with BS 7445-1:2003
	Reason: To protect the amenity of residents in the locality, pursuant to Policy SP1 (Creating
	Sustainable Development) of the Hertsmere Local Plan, Core Strategy (2013).
17	Public rights of way and permissive footpaths
	Any feature hereby entry and shall be excepted and less them. For from the control line of any
	Any fences hereby approved shall be erected not less than 5m from the centre line of any public right of way within the site.
	public right of wdy within the site.
	Prior to commencement of the development a permissive path specification and strategy
	shall be submitted to the local planning authority for approval. Prior to the first commercial
	export of electricity, the permissive paths (one adjacent to Fields 15 and 16, the other
	around Field 12, as shown on the Landscape and Ecology Enhancement Plan) shall be provided in accordance with the approved specification and strategy and shall be
	maintained and shall remain unobstructed for the lifetime of the development.
	Reason: To ensure that users of public rights of way are not inconvenienced, and to ensure
	that the very special circumstances which justify the granting of temporary planning
	permission on this Green Belt site and the substantial public benefits that outweigh the
1	(less than substantial) harm to neighbouring designated heritage assets will (considered

	cumulatively with other benefits of the development) include the provision of new footpaths.
18A (LPA/App)	Drainage condition 1 of 3
	The development shall be carried out in accordance with the Flood Risk Assessment (reference R010 dated 16 April 2021 prepared by RMA Environmental) and the following mitigation measures:
	 Limiting the surface water run-off generated by the critical storm events so that it will not exceed the greenfield surface water run-off rates for the relevant rainfall events up to and including the 1 in 100 year + 40% climate change event. Providing storage to ensure no increase in surface water run-off volumes for all rainfall
	events up to and including the 1 in 100 year + climate change event in above ground SuDS features.
	3.) Discharge of surface water from the private drain into a suitable location, such as an ordinary watercourse or river.
	The mitigation measures shall be fully implemented prior to occupation and subsequently in accordance with the timing/phasing arrangements embodied within the scheme, or within any other period as may subsequently be agreed, in writing, by the local planning authority.
	Reason: To prevent flooding by ensuring the satisfactory disposal and storage of surface water from the site, and to reduce the risk of flooding to the proposed development.
18B (COG)	Drainage condition 1 of 3
()	Prior to the development -carry out the conditions for drainage as per (R010 dated 16 Apr 2021.) The report needs to be reassessed by SUDS and FRA.
19	Drainage condition 2 of 3 (pre-commencement)
	No development shall take place until a detailed Surface Water Drainage Scheme for the site, based on the approved drainage strategy and sustainable drainage principles, has been submitted to and approved in writing by the Local Planning Authority. The drainage strategy should demonstrate the surface water run-off generated up to and including 1 in 100 year + climate change critical storm will not exceed the run-off from the undeveloped site following the corresponding rainfall event. The scheme shall subsequently be implemented in accordance with the approved details before the first export of electricity from the site.
	The Surface Water Drainage Scheme should include the following details: 1.) Fully detailed drainage strategy indicating how surface water will be managed on site
	for the solar panel areas, battery storage area, inverter stations and access road, including all SuDS features, discharge points and watercourses. If discharging to a watercourse, full details confirming the capacity and condition should be provided.
	2.) Full details of the ordinary watercourses on site including their location, connectivity, details regarding any associated buffers and an impact assessment to ensure there is no detrimental impact on the watercourses.

I

	4.) Detailed engineered drawings of the proposed SuDS features including cross section drawings, their size, volume, depth and any inlet and outlet features including any
	connecting pipe runs.
	 5.) Detailed assessment of existing overland flow routes and demonstration of how these will be managed as part of the development, including during the construction phase. 6.) Detailed post-development network calculations for all events up to and including the 1 in 100 year + 40% climate change event with half drain down times.
	in 100 year i 40% cinnate change event with han drain down times.
	Reason: To prevent flooding by ensuring the satisfactory disposal and storage of surface water from the site, and to reduce the risk of flooding to the proposed development.
20	Drainage condition 3 of 3
	Upon completion of the drainage works for each site in accordance with the timing/phasing arrangements, a management and maintenance plan for the SuDS features and drainage network must be submitted to and approved in writing by the Local Planning Authority. The scheme shall include:
	1.) Provision of a complete set of "as-built" drawings for site drainage.
	2.) Maintenance and operational activities.3.) Arrangements for adoption and any other measures to secure the operation of the
	scheme throughout its lifetime.
	Reason: To prevent flooding by ensuring the satisfactory storage/disposal of surface water from the site. To prevent any increased risk of flooding, both on and off the site.
NEW	Impermeable drainage system scheme
(COG)	
	The development hereby permitted shall not be commenced until such time as a scheme to install impermeable sealed drainage systems for all transformer and battery storage areas have been submitted to, and approved in writing by, the local planning authority. The scheme shall be implemented as approved.
	Reason: For all facilities for the storage of chemicals, oils, or fuels, it is important that sufficient containment is installed and maintained to retain firefighting liquids in case of an incident. This infrastructure would be critical to prevent contamination of land or surface waters. Such containment measures cannot be retrospectively fitted; therefore the design is required as a pre-commencement condition.
21	Hard surface at Access A (pre-commencement)
	No construction or installation shall be undertaken via site access 'A' of the Construction Traffic Management Plan (document R005) - i.e. the existing access to Field 1 - until the surface at the access bell-mouth is formalised to provide a hard surface, in accordance with details that shall have been submitted to the Local Planning Authority for approval in advance, including the details of arrangements for surface water drainage at that access to be intercepted and disposed of separately, so that it does not discharge onto the highway carriageway.

I

	Reason: To ensure that no debris enters the public highway of Hilfield Lane. To ensure the
	construction of a satisfactory access and in the interests of highway safety, traffic
	movement and amenity in accordance
	with Policy 5 of Hertfordshire County Council's Local Transport Plan (adopted 2018).
22	Visibility splays at Access B (pre-commencement)
	No construction or installation shall be undertaken via site access 'B' of the Construction
	Traffic Management Plan (document R005) - i.e. the existing access to Hilfield Farm - until
	the required visibility splays have
	been established through a speed survey at the access. The results of the speed survey and
	the required visibility splays <u>have been</u> shall be submitted to the Local Planning Authority
	for and approved approval prior to the commencement of any works. The visibility splays
	shall be provided in accordance with the approved details. In the event that any proposals
	are made to alter visibility splays in a manner that would necessitate arboricultural works
	are needed, the submission shall be accompanied by an Arboricultural Report and an
	Arboricultural
	_Impact Assessment.
	Peacen: To provent the uppercessory removed of trace or hedges which may affect glint and
	Reason: To prevent the unnecessary removal of trees or hedges which may affect glint and glare on Hilfield Lane, and to ensure that public highway safety is maintained, in line with
	Policy 5 of the Hertfordshire County Council Local Transport Plan.
	Policy 5 of the Hertfoldshife Councy Council Local Transport Plan.
23	Construction Traffic Management Plan (pre-commencement)
	5 (1)
	No construction shall commence until a Construction Traffic Management Plan (CTMP) has
	been submitted to and approved in writing by the Local Planning Authority. The CTMP shall
	include
	- booking system details,
	- compound layout,
	- welfare facilities,
	- wheel washing facilities,
	- delivery hours (which shall not fall outside the hours of 09.30 - 14.30, to avoid
	conflict with local school traffic)
	The Haberdasher's Boys School shall be consulted on the details of the proposed CTMP
	prior to submission to the local planning authority.
	The approved CTMP shall be implemented throughout the period of construction.
	Reason: Details are required of a deliveries booking system to ensure the availability of
	parking and unloading space and of banksmen, as otherwise delivery vehicles might
	obstruct public highways while waiting to enter the site. Details of the construction
	compounds' layout and facilities are required to ensure that appropriate facilities are in
	place within the site, in the interests of the safe operation of the local highway network,
	pursuant to Policy 5 of Hertfordshire County Council's Local Transport Plan. One of the
	three site entrances is located close to the entrance to Haberdasher's Boys School on
	Butterfly Lane, and the revised construction delivery hours of 09:30 to 14:30 have been
24	agreed with the school to avoid conflict with school traffic or hazard to pupils.
24 (App/COG)	Glint and glare mitigation for roads (pre-occupation)
(App/COG)	

l

A Glint and Glare Mitigation Scheme shall be submitted to the local planning authority for approval prior to the commencement of development. The Scheme shall detail the mitigation measures that are proposed in accordance with the Glint and Glare Assessment (document RO12, issue 6 dated July 2021). Such mitigation measures shall be implemented and then retained throughout the operational period.
No solar panels shall be installed in the areas marked "Site 15", "Site 16" and "Site 17" in figure 5 of the Glint and Glare Assessment until the mitigation measures relevant to them are implemented as approved.
Reason: To protect the safe operation of the local highway network, pursuant to Policy 5 of Hertfordshire County Council's Local Transport Plan and to safeguard residential visual amenity_